



Industry Refrigeration Cold Room, Storage Cold Room For Fruit Food Fish Chamber


Basic Information

Place of Origin: CHINA
Brand Name: DM brand
Certification: CE
Model Number: DM-0001

Price: \$2000~\$100000000Packaging Details: Customizable

Delivery Time: 25dayPayment Terms: T/T, L/C

Supply Ability: 1pcs per 15days



Product Specification

Provided:

• Minimum Order Quantity:

Color: Blue , Red , White , Pale Grey , Ral Color
 Type: Polyurethane Sandwich Panels , Other ,

Dubai , Walling Material , Abu Dhabi

• Usage: Food, Blood, Medicine

Application: Cold Room Roof Sandwich Panel For Wall

Insolation Cost , Exhibition Hall , Cold

Storage , Etc.wall Buliding

> Overseas , No Overseas Service ProvidedVideo Technical Support , Field

Maintenance And Repair Service , Field Installation

• Insulation Material: PU Sandwish Panel

• Dimension(I*w*h): Customized Size, According To Customer

Demand, Up To You, As Customers

Requirement, 2.2*2.2*2.5

• Thickness Of Panel: 50mm, 75mm, 100mm, 120mm, 150mm,

200mm

Industry Refrigeration Material Cold Room For Fruit Food Fish Chamber

Cold storage room

Fresh cold storage 2. Quick freezing cold storage 3. Refrigerated cold storage



- The refrigeration equipment of the cold storage has high refrigeration efficiency, and the unit adopts advanced electronic expansion valve technology to accurately control the flow of refrigerant.
- 2. The cold storage is easy to install, the unit adopts international well-known brands, stable quality, and guaranteed after-sales service.
- The refrigeration unit of the cold storage adopts well-known domestic brands and lasts for a long time.



| Model NO | DM-LK-0001 | Dimension(L*W*H) | Customized |
|------------------|---|---------------------------|---------------------------------------|
| 1 | Polyurethane cold storage board | Copper tube connector | Fitting reducer |
| voltage | 380V460V220V customize | IC:Ontroller | Automatic electric controller, PLC |
| Refrigera nt | R404a R22a R134a | Quality Assurance | 2.6Mpa leak-proof stress test |
| , , | Swing Door/Sliding Door/Double Door/Single Door | Cold room compressor type | Piston, screw, scroll etc |
| use nature | Fresh Keeping Freezing | Trademark | N/M |
| Density of panel | 40-42kg/Cm3 | Certification | ISO CE |
| material | Rock wool Polyurethane | ' | -60°C~+20°C optional/Customization |
| | All necessary fittings are included, optional | | |





This is the cold storage corresponding to the product

| Use nature/Suitable for | Tempreture range | |
|---|------------------|--|
| Fruit ripening | >25C | |
| Processing room | 12~19C | |
| Fruit, vegetable, dry food | -5~+10C | |
| Medicine, cake, pastry, chemical material | 0C~-5C | |
| Ice storage room | -5~-10C | |
| Fish, meat storage | -18~-25C | |
| Deep freezer, low temperature storage, quick-freeze, blast freezer | -25C~-40C | |

The use of cold storage

The use of cold storage is different from that of ordinary refrigerated and frozen food storage cold storage. Cold storage is mainly used to store foods that require high temperature and are prone to spoilage, to ensure that these foods do not spoil or rot in a short period of time.

1. High temperature requirements

Because refrigerated food has strict temperature requirements, if the temperature is not well controlled, it can cause the product to rot and spoil. So it needs to be stored and transported at refrigeration temperature. During use, it is necessary to maintain an appropriate temperature. If the temperature control is not good, the product may rot

or deteriorate.

If perishable foods such as meat, fish, dairy products, soy products, etc. arenot refrigerated, transported and sold in a timely manner, their spoilage will affect the quality and safety of other products. To avoid this situation, it is necessary to store these products in a refrigerated environment.

3. Short storage time

Many foods cannot be consumed or sold within their shelf life, so they need to be stored in cold storage for refrigeration. To ensure that food does not spoil or rot in the short term, it is necessary to store it in a cold storage.

4. Keep fresh

Due to storage conditions, packaging materials, and other reasons, food may deteriorate over time. In order to maintain the quality and safety of fresh food, it is necessary to use a cold storage to store these foods.

5. Convenient transportation and sales

Many products require refrigerated transportation or storage during transportation and sales. Without appropriate equipment and conditions, it can cause food to rot and spoil. Therefore, it is necessary to use a cold storage for refrigerated transportation or storage.



Features of our cold storage extruded board:

- 1. The cold storage extruded board has excellent thermal insulation performance. It can prevent cold and heat exchange well, save energy and reduce consumption;
- 2. The surface of the cold storage extruded board is flat and smooth, and can be processed directly, reducing losses during installation and construction;
- 3. The cold storage extruded board has good pressure resistance and impact resistance;



What are the advantages of our cold storage insulation board?

- 1. The cold storage insulation board has a long service life. The cold storage insulation board is a new type of insulation material. It will not be affected by the outside world. Under normal circumstances, the service life can reach more than 30 years.
- 2. The cold storage insulation board has a light bulk density. The bulk density of the cold storage insulation board is only about 150kg/m3, and it is also a new type of insulation material, so it has a good light weight characteristic.
- 3. The cold storage insulation board has good thermal insulation performance. Because its material is a foam material, it has very good thermal insulation performance.



The cold storage unit

is the main component of the cold storage system. Its function is to transport the low-temperature frozen materials in the cold storage to the specified temperature, thereby extending the shelf life of these items, and also provides a certain storage space for cold storage users. With the development of my country's national economy and society, people's living standards are constantly improving, and the demand for various refrigerated foods, medical supplies, and biopharmaceuticals is increasing.

RFQ

- 1. How is your product quoted?
- (1) We will collect customer information and then provide a quotation. The more comprehensive the information, the better.
- 2. When the amount is large, how can one ensure their rights and interests?
- (2) Both the buyer and seller can make a 30% advance payment first, and then pay the final payment before shipment.
- 3. Delivery time?
- (3) Cold storage is a customized product that requires a longer stocking time of 20-30 working days compared to regular products
- 4. Trade terms
- (4) We support all trade terms of Fob Exw Cif Ddp etc.



Construction cases









Why choose our company?

- 1. Because our company has CAC official.
- 2.We have a good one-year after-sales service.
- 3.We have over 20 years of sales experience.
- 4.We have our own factory.
- 5. We will try our best to provide a professional response as soon as possible.

Product advantages

- 1.Quite operation.
- 2.Seamless connection.
- 3. Easy installation
- 4. Beautiful and elegant placement of circuit devices.
- 5.Using the best equipment.
- 6.Not easily damaged.

Pre-sales: We provide assistance to our customers, provide valid information according to the requirements of our guests, answer questions, leave a professional impression, and lay the foundation for future sales.

Selling: let our customers know more about our products, and enthusiastically answering questions for customers and providing customers with a pleasant buying experience.

After-sales: After the products are sold, the professionals provide training services, check and maintain the products regularly, if there is problems for the quality, Will solve it for customers in time.

Zhejiang Damai Cold Chain Equipment Co., Ltd.



86-13246760185



sales3@dmllcn.com



© coldroomunit.com