



## Low Thermal Conductivity Cold Room Panel For Temperature Control

Our Product Introduction

for more products please visit us on [coldroomunit.com](http://coldroomunit.com)

### Basic Information

- Place of Origin: China
- Brand Name: DAMAI
- Certification: CE
- Model Number: CRP
- Minimum Order Quantity: 10m<sup>2</sup>
- Price: 8usd/piece
- Packaging Details: sea-freight package
- Delivery Time: 25~30 days
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 15 working days



### Product Specification

- Panel Material: Metal,color Steel Sheet, Pu,rock Wool
- Color: Customizable
- Type: PU, Rock Wool
- Application: Cold Room, Clean Room,exhibition Hall, Wall Building Etc.
- After-sales Service: Online And Onsite Technical Instruction,
- Condition: New
- Thickness: 50mm,100mm,150mm,200mm,250mm
- Fire Resistant: B1, B2
- Power Voltage: 220v,380v,420v,460v
- Material Thickness: 2-4mm
- Core Material: Polystyrene Material
- Power Supply: 220V,50HZ,1phase; 380V,60HZ,3Phase,etc
- Joint Methods: Cam-lock, Plug-in,etc.
- Surface Coating: PVDF, SMP, PE, HDP, Etc.



### More Images



## Product Description

Low Thermal Conductivity Cold Room Panel For Temperature Control

### Polyurethane cold storage panels



Adoption of polyurethane The whole panel is foamed  
**enhancing the overall sealing effect.**

### Zhejiang Damai Cold Chain Equipment Co., Ltd

01

28 years  
history

02



Varieties  
products

03

B1 Grade  
fire proof

04

Designing  
team



Our Product Introduction

for more products please visit us on [coldroomunit.com](http://coldroomunit.com)

# Product Structure




## Plates surface

Flat, Square waves, Water waves

## Polyurethane

good thermal insulation, corrosion resistance, light weight, etc.



## Plates surface

# Our Advantages



Eco-friendly  
and healthy



streamlined  
installation



durability



quality assurance



precision design



fireproof materials




strictly selected  
materials



heat insulation and  
heat preservation

# Popular products



Specifications	
Type	Polyurethane sandwich panels
PU Thickness	50mm/75mm/100mm/150mm/200mm/250mm
Metal sheet thickness	0.3~0.8mm
Effective Width	1000mm/1120mm
Surface	Prepainted
Thermal conductivity	0.023
Fireproof grade	B1/A1
Temperature range	-55~+160°
Density	35~45kg/m <sup>3</sup>
Color	RAL or customization
Service	OEM/ODM
Customization is welcome	



Fish food storage



Vegetable&Fruit



Meat processing





Chemical industry

Cold Chain logistic

Pharmacy

# Project Cases

Logistics cold chain warehouse



Industrial Factory



Medical chemical industry



Food cold chain warehouse



Dairy Industry cold room



Juice and food processing industry



# Manufacturers Quality Assurance

## 01. Workshops



## 02. Production



## 03. Equipment



## 04.R&D Team



## Export packaging



Transportation Safe and fast, our transportation method makes you worry-free!



# Export Areas

---



Export Areas More than 100 countries

Our products represent not only our craftsmanship and quality, but also our commitment to globalization

## FAQ

**Q: Are you a factory or a trading company?**

A: We are professional manufacturer specialized in refrigeration equipment.

**Q: How many different types of products your company manufactures?**

A: Now we have more than 1,000 products. We have a strong advantage of OEM, just give us the actual products or your idea that you want, we will manufacture for you.

**Q: What's your MOQ?**

A: If we have the products in stock, it will be no MOQ. If we need to produce, we can discuss the MOQ according to customer's exact situation.

**Q: Visting factory is allowed or not?**

A: Yes, we welcome customers visiting our factory. Our factory is located Shaoxin city,Zhejiang province,China mainland.



# Purchase Instructions

---



## About technology

We take OMS high-pressure pentane foam system from Italy and Siemens intelligent production control technology

---



## About products

The product price depends on the inquiries specification, like quantity, color, thickness and others. Please contact manager online for getting more information.

---



## About shipment

Normally it will take 15 days for products preparation, we will help the clients to make shipping plan at the first time.



**Zhejiang Damai Cold Chain Equipment Co., Ltd.**

---



86-13246760185



[sales3@dmllcn.com](mailto:sales3@dmllcn.com)



[coldroomunit.com](http://coldroomunit.com)

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province