



Corrosion Resistant Air Cooler Condenser Customized With Optimized Pressure Drop

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:Minimum Order
- Quantity:
- Price: \$200~\$100000

CHINA

CE;ISO

DM-LNQ-0002

DM

1

- Packaging Details: Wooden case
- Delivery Time: 30 Work days
- Payment Terms: T/T;L/C
- Supply Ability: 100000pcs/year



Product Specification

• Highlight:

• Fin Type: Louvered, Wavy, Corrugated • Tube Diameter: 5mm, 7mm, 9.52mm, 12.7mm, 15.88mm Corrosion Resistance: Salt Spray Test Up To 1000 Hours Cooling Capacity: Depends On Size And Material • Pressure Drop: Depends On Fin And Tube Type • Size: Various Sizes Available • Material: Copper, Aluminum, Stainless Steel • Tube Pitch: 1.5 Times Tube Diameter

> Corrosion Resistant Air Cooler Condenser, Air Cooler Condenser Customized, Corrosion Resistant Air Cooled Condenser



Corrosion Resistant Air Cooler Condenser with Optimized Pressure Drop

Product Description:

Improved structure and exceptional interchangeability are the hallmark features of our product. Several compressors can be fitted without any difficulty.

In order to cater to the varying needs of our customers, we offer honeycomb fin and window fin which are available in diverse sizes and specifications.

We carry out air tightness tests to check the product's quality. These tests are conducted at a pressure of 3.0 MPa to ensure that the finished product has a high level of air tightness.

Our film spacing can be adjusted from 1.7mm to 3.0mm to match up with the specific requirements of our customers. We understand that customers work in varying environmental conditions and therefore the need may arise for flexibility in adjusting the film spacing. We offer customized solution and can provide condensing fans in different types and configurations based on the unique demands of customers.

Features:

Our product is designed for quiet operation, ensuring that it doesn't disturb the overall peace in the environment. From offices to homes, our devices are meant to work efficiently without producing any unnecessary noise.

With a seamless connection, our product allows for uninterrupted and fast communication between devices. No more delays or disruptions when transferring files or connecting to the internet.

Our product is designed for easy installation. With its plug-and-play feature, users can easily set it up without the need for any technical expertise.

We take pride in the beautiful and elegant placement of circuit devices in our product. Unlike other products that have an unsightly mess of wires and devices, ours is designed with both aesthetics and functionality in mind.

We use only the best equipment in the production of our product, ensuring that it meets the highest quality standards. Our devices are made with high-quality materials, making them durable and long-lasting.

Our product is built to last and is not easily damaged. With its robust construction and high-quality materials, it can withstand challenging environments and continue to operate efficiently.

Factory Photos:



Technical Parameters:

Model Specifications

Model & Technical Specification

Model	Mo tor	Blade diameter (mm)	Pitch- row	Ring-row number	Inlet and outlet aperture
FNHM-41		400	888X 180	4X12	φ16φ22
FNHM-49	2		888X 180	5X12	φ16φ22/φ25
FNHM-60			988X 180	5X12	φ16φ22
FNHM-80			988X 180	4X20	φ19φ28
FNHM-100			988X 180	4X24	φ19φ28/φ32
FNHM-120			988X 180	5X24	φ19φ28/φ32

	-				
FNHM-140	4	450	1128 X180	5X20	φ19φ28/φ32
FNHM-160	-	500	1278 X180	5X24	φ19φ28/φ22φ32
FNHM-180			1383 X180	5X26	φ19φ28
FNHM-200			1383 X180	6X24	φ25φ38
FNHM-220	6	450	1730 X180	5X24	φ25φ38
FNHM-240			1830 X180	5X24	φ25φ38
FNHM-260			2030 X180	5X24	φ25φ38
FNHM-280	6	500	2330 X180	5X24	φ25φ38

Please note that the specifications are subject to change without prior notice. For further inquiries, please feel free to contact us.

Applications:

DM-LNQ-0002 is a refrigeration air cooled condenser manufactured in China by the DM brand. This product is suitable for a wide range of applications and scenarios such as:

Cold storage facilities

Industrial refrigeration systems

Food processing plants

Chemical plants

Pharmaceutical factories

The DM-LNQ-0002 air cooler condenser is CE and ISO certified and has a minimum order quantity of 1 unit. The price range is between \$200 to \$100000 depending on the size and material. The packaging details include a wooden case, and the delivery time is 30 work days. Payment terms accepted are T/T and L/C, and the supply ability is 1000000pcs/year.

This air cooled finh refrigeration condenser is designed to operate efficiently with low pressure drops, which depend on the fin and tube type. Its cooling capacity also depends on the size and material. The DM-LNQ-0002 has multiple certifications such as ISO9001, ISO14001, CE, and UL.

The DM air cooler condenser is available in different fin types such as louvered, wavy, and corrugated. It also has a tube pitch of 1.5 times the tube diameter. This product is ideal for use as a steam condenser, and its versatility makes it suitable for various applications and scenarios.

Shejiang Damai Cold Chain Equipment Co., Ltd.

S 86-13246760185 Sales3@dmllcn.com C coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province