



cooling system air cooled condenser for refrigeration equipment cold storage cold room

Our Product Introduction

Basic Information

- Place of Origin: Made in China
- Brand Name: DM brand
- Model Number: FNV-T-150
- Minimum Order Quantity: 1
- Price: 2000
- Packaging Details: WOODEN CASE
- Delivery Time: 15
- Payment Terms: T/T
- Supply Ability: 10000



Product Specification

- Weight: 75kg
- Fins Per Row: 12
- Transport Package: Wooden Case
- Motor Power: 1-80HP
- Voltage: 220V/380V
- Receiver Drier Included: Yes
- Specification: CCC
- Power: 3000kw
- Pressure Drop: Depends On Fin And Tube Type
- Dimensions: 30
- Material: Aluminum
- Application Fields: Cold Storage Room
- Power Source: Electricity
- Trademark: DM
- Highlight: refrigeration air cooled condenser.

for more products please visit us on coldroomunit.com

Product Description

cooling system air cooled condenser for refrigeration equipment

Finned condenser is a high-efficiency condensing radiator specially designed for refrigeration compressor condensing unit and parallel compressor unit. There are three structural forms: H-type, V-type and U-type. Different combinations of width and length and blowing direction, side air outlet and top air outlet modes ensure the best adaptability: different combinations of fan numbers ensure the adjustment of condensation pressure. External rotor motor can also be selected to reduce motor.

Model	Heat exchange capacity (kW)	Surface (m ²)	Copper tube arrangement	Fan Qty	Power (W)	Air flow (m ³ /h)	Fan ø (mm)	Voltage (V)	Inlet ø (mm)	Outlet ø (mm)	Weight (kg)
FNVT-060	17.7	60	3*10	2	180*2	4000*2	400	380	25	19	88
FNVT-080	23.6	80	3*12	2	250*2	5000*2	450	380	25	19	112
FNVT-100	29.5	100	4*11	2	250*2	5000*2	450	380	25	19	122
FNVT-120	35.4	120	4*11	2	370*2	8000*2	550	380	32	25	143
FNVT-140	41.3	140	4*13	2	370*2	8000*2	550	380	32	25	162
FNVT-160	44.3	160	4*13	2	550*2	9000*2	600	380	32	25	180
FNVT-180	47	180	4*14	2	750*2	12000*2	630	380	32	25	203
FNVT-200	52.5	200	4*16	2	750*2	12000*2	630	380	32	25	224
FNVT-220	58.5	220	4*14	3	370*3	8000*3	550	380	32	25	234
FNVT-240	64.5	240	4*14	3	550*3	9000*3	600	380	32	28	255
FNVT-260	70.5	260	4*15	3	550*3	9000*3	600	380	32	28	272
FNVT-280	76	280	4*16	3	550*3	9000*3	600	380	35	28	300
FNVT-300	82.5	300	4*16	3	750*3	12000*3	630	380	35	28	322
FNVT-320	88.5	320	4*17	3	750*3	12000*3	630	380	42	32	340

V-type

1. Reasonable structure, good interchangeability, and can be used with different types of compressors;
2. There are two kinds of window fins and honeycomb fins, which can meet the needs of different kiln households;
3. The air tightness test was carried out under the air pressure of 3.0MPa, which ensured that the product had high air tightness when leaving the factory;
4. The distance between the pieces is adjustable between 1.7 mm and 3.0 mm to meet the needs of customers in different environmental conditions;
5. Different forms of condensing fans can be configured according to customer requirements;



Company Profile

Why choose our company ?

1. Because our company has CAC official .
2. We have a good one-year after-sales service.
3. We have over 20 years of sales experience.

4.We have our own factory.

5.We will try our best to provide a professional response as soon as possible.

Product advantages

1.Quite operation.

2.Seamless connection.

3.Easy installation

4.Beautiful and elegant placement of circuit devices.

5.Using the best equipment.

6.Not easily damaged



 **Zhejiang Damai Cold Chain Equipment Co., Ltd.**



86-13246760185



sales3@dmllcn.com



coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province