

Made in China

Damai brand

ce ccc FNV-10~310

1

2000

10000



# Cooled Unit Air Cooling Condenser For Refrigeration Equipment Cold Storage Cold Room

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details: WOODEN CASE
- Delivery Time: 15
- Payment Terms: T/T
- Supply Ability:



# **Product Specification**

Weight:	80kg		
• Fins Per Row:	4000		
<ul> <li>Transport Package:</li> </ul>	Wooden Case		
Motor Power:	1-80HP		
Voltage:	220V/380V		
Receiver Drier Included:	Yes		
<ul> <li>Specification:</li> </ul>	CCC		
• Power:	3000kw		
Pressure Drop:	Depends On Fin And Tube Type		
Dimensions:	30		
Material:	Copper And Color Steel		
<ul> <li>Application Fields:</li> </ul>	Freezer Room		
<ul> <li>Power Source:</li> </ul>	Electricity		
• Trademark:	DM		
<ul> <li>Highlight:</li> </ul>	refrigeration air cooler condenser,		

## **Product Description**

### Cooling system air cooled condenser for refrigeration equipment

Finned condenser is a high efficiency condensing radiator specially designed for refrigeration compressor condensing unit and parallel compressor unit. There are three structural forms: H-type, V-type and U-type. Different combinations of width and length and blowing direction, side air outlet and top air outlet modes ensure the best adaptability: different combinations of fan numbers ensure the adjustment of condensation pressure. External rotor motor can also be selected to reduce motor.

Model	AB 1	С	D	Е
FNVT-060	1 2 <sub>660</sub> 5 1	595	1181	450
FNVT-080	3 3 <sup>725</sup> 0 1	690	1286	500
FNVT-100	<sup>3</sup> 795 5 0 1	640	1306	600
FNVT-120	5 795 5 1	640	1521	600
FNVT-140	5 880 5 1	730	1506	650
FNVT-160	7 3 <sup>880</sup> 0	730	1686	650
FNVT-180	Õ	775	1756	700
FNVT-200	1 71006 0 2	865	1726	700
FNVT-220	1 4 0	775	2096	700
FNVT-240	0	775	2256	700
FNVT-260	2 3 3961 0	820	2286	700
FNVT-280			2316	
FNVT-300	0 2 5 1006 0	865	2456	700
FNVT-320	0 2 5 1048 0	910	2476	800

### V-type

1. Reasonable structure, good compatibility, can be combined with different types of compressors.

2. There are two types of fins: window fins and honeycomb fins, which can meet the needs of different kiln families.

3. Airtightness test is carried out under 3.0MPa pressure at the factory to ensure the high airtightness of the product.

4. The distance between parts can be adjusted between 1.7mm and 3.0mm to meet customers' needs under different environmental conditions.

5. Various forms of condensing fans can be constituted according to customers' requirements.





#### **Company Profile**

- Why choose our company?
- 1.Because we have official CAC certification.
- 2.We have a good one-year after-sales service.
- 3.We have more than 20 years of sales experience.
- 4.We have our own factory.
- 5.We provide professional answers.

### Product advantages

- 1.Quite operation.
- 2.Seamless connection.
- 3.Easy installation
- 4. Beautiful and elegant placement of circuit devices.
- 5.Using the best equipment.
- 6.Not easily damaged



D Zhejiang Damai Cold Chain Equipment Co., Ltd.

86-13246760185

sales3@dmllcn.com

om 🙆 coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province