



## Low Noise Level Air Cooled Condenser with Cooling Capacity Depends On Size And Material

Our Product Introduction

for more products please visit us on [coldroomunit.com](http://coldroomunit.com)

### Basic Information

- Brand Name: DM
- Certification: CE;ISO
- Model Number: DM-LNQ-H
- Minimum Order Quantity: 1
- Price: \$200~\$100000
- Packaging Details: Wooden Case
- Delivery Time: 30 Work Days
- Payment Terms: T/T;L/C
- Supply Ability: 1000000pcs/year



DAMAI COLD CHAIN EQUIPMENT



### Product Specification

- Power: 2.25kw
- Noise Level: 25-35 DB
- Fin Length: 24 Inch
- Corrosion Resistance: Salt Spray Test Up To 1000 Hours
- Material: Aluminum
- Voltage: 220-240V/380-415V
- Installation Type: Wall Mounted
- Color: White
- Highlight: low noise air cooled condenser,  
low noise air cooler condenser,  
aluminum air cooled condenser


## Product Description

### Product Description:

The Air-Cooled condenser is a cooling facility that is used in conjunction with various cooling equipment. It comes with three different types: H, V, and W. The H type is side blowing while both the V and W type are roof blowing.

The condenser has a well-designed structure that allows for good interchangeability. It can conveniently be equipped with various types of compressors to meet specific cooling needs.

Customers have a choice between two types of fins: window fin and honeycomb fin. Both fin types cater to different customers' needs and preferences.



Model	Area	Row bend several	Fan					Intake pipe Ømm	The liquid pipe Ømm	Weight kg
			Number	Power(W)	Air volume m³/h	Wind leaf diameter Ø mm	Voltage(V)			
FNH-0.6/2	2	2x4.5	1	16	500	200	220	10	10	4
FNH-0.9/3	3	3x4.5	1	16	500	200	220	10	10	4.3
FNH-1.2/4	4	3x5.5	1	40	800	250	220	10	10	6
FNH-1.8/6	6	3*7	1	90	1250	300	220	10	10	8
FNH-2.5/8.5	8.5	4*7	1	90	1250	300	220	10	10	10.2
FNH-3.6/12	12	4*8	1	164	1800	350	220/380	16	12	13.8
FNH-4.5/15	15	4*9	1	164	1800	350	220/380	16	12	16.5
FNH-5.4/18	18	4*10	1	216	3000	400	220/380	16	12	22
FNH-6.6/22A	22	5*10	1	216	3000	400	220/380	19	16	24
FNH-7.6/22B	22	4*8	2	2*164	2*1800	350	380	19	16	26
FNH-8.4/28	28	4*8	2	2*164	2*1800	350	380	19	16	29
FNH-9.9/33	33	4*9	2	2*216	2*3000	400	380	19	16	36
FNH-13.0/41	41	4*12	2	2*216	2*3000	400	380	19	16	40
FNH-15.0/49	49	4*14	2	2*216	2*3000	400	380	19	16	50
FNH-18.0/60	60	4*14	2	2*216	2*3000	400	380	22	16	58
FNH-21.0/70	70	4*18	4	4*164	4*1800	350	380	22	19	72
FNH-24.0/80	80	4*20	4	4*216	4*1800	400	380	25	22	81
FNH-27.0/90	90	4*20	4	4x216	4*3000	400	380	25	19	90

FNH-30.0/100	100	4x24	4	4x216	4*3000	400	380	25	19	98
FNH-36.0/120	120	4*24	4	4x216	4*3000	400	380	28	19	105
FNH-42.0/140	140	5*24	4	4x290	4*4500	450	380	28	22	128
FNH-45.0/150	150	5*24	4	4x290	4*4500	450	380	32	25	135
FNH1-54.0/180	180	6x24	4	4x449	4x6500	500	380	32	25	170
FNH-60.0/200	200	6*24	4	4x449	4x6500	500	380	32	25	190
FNH-66.0/220	220	6x25	4	4x449	4x6500	500	380	32	25	200
FNH-75.0/250	250	6x28	4	4x670	4*8500	550	380	32	25	220
FNH-90.0/300	300	6x28	4	4x670	4*8500	550	380	32	25	260

### Applications:

The H-type condenser plays a crucial role in refrigeration units when it comes to achieving the desired temperature in cold storage. Refrigeration units require various temperatures for different cold storages depending on the types of products being stored. The H-type condenser accommodates this by matching the cold storage at different temperatures. The H-type condenser enables refrigeration units to operate at peak efficiency while providing optimal temperature control. It offers a reliable solution for maintaining the desired temperature within cold storage, ensuring that products are preserved at their best quality. Overall, the H-type condenser is a critical component in refrigeration units that helps businesses uphold the quality and freshness of their products while reducing energy costs.



### Packing and Shipping:

#### Product Packaging:

The Air Cooler Condenser comes in a sturdy cardboard box with foam inserts to keep the product safe and secure during shipping. The box is labeled with the product name, specifications, and handling instructions.

#### Shipping:

Our standard shipping method is via ground shipping. We offer free shipping for orders within the continental United States. For international orders, shipping rates may vary. Please allow 3-5 business days for processing and handling before your order is shipped. Once shipped, you will receive a tracking number to track your package.



### FAQ:

**Q: What is the brand name of this air cooler condenser?**

A: The brand name of this air cooler condenser is DM.

**Q: What is the minimum order quantity for this air cooler condenser?**

A: The minimum order quantity for this air cooler condenser is 1.

**Q: What is the price range for this air cooler condenser?**

A: The price range for this air cooler condenser is between \$200 and \$100000.

**Q: What are the packaging details for this air cooler condenser?**

A: The packaging details for this air cooler condenser is a wooden case.

**Q: What is the delivery time for this air cooler condenser?**

A: The delivery time for this air cooler condenser is 30 work days.

**Q: What are the payment terms for this air cooler condenser?**

A: The payment terms for this air cooler condenser are T/T and L/C.



**Zhejiang Damai Cold Chain Equipment Co., Ltd.**



86-13246760185



sales3@dmllcn.com



coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province