



## Low Temperature Cold Room Evaporator Advanced Technology for Cold Storage

Our Product Introduction

for more products please visit us on [coldroomunit.com](http://coldroomunit.com)

### Basic Information

- Place of Origin: China
- Brand Name: DM
- Certification: CE ISO
- Model Number: DM-DSD30
- Minimum Order Quantity: 1
- Price: 1000-100000
- Packaging Details: Customization
- Delivery Time: 20day
- Payment Terms: TT, L/C
- Supply Ability: 300000/Year



### Product Specification

- Material Of Fin: Material Of Fin
- Coil Tube: Copper
- Casing: Steel Plate With Plastic Spray
- Customized: Acceptable
- Fan Qty: 1pcs To 2,3,4 Pcs
- Power Supply: 220V/380V/415V
- Defrosting: Water Defrosting
- Application: Cold Storage/Cold Room/Freezer Room
- Highlight: **cold storage cold room evaporator ,  
cold storage freezer room evaporator ,  
220v cold room evaporator**

## Low Temperature Cold Room Evaporator Advanced Technology for Cold Storage

### Product Description:

This type of warehouse cooling equipment is known as the double outlet air cooler. It is ideally suited for use in food processing rooms where the ambient temperature above 8°C. The cooling air is discharged from both sides of the unit, providing soft airflow. In addition, it is suitable for temperature regulation in warehouses.

However, if the storage temperature falls below 8°C, it is important to install a defrosting electric heater to prevent the formation of ice within the unit.



### Features:

The shell of our product is constructed using steel plate and sprayed with plastic, which not only enhances its resistance to corrosion, but also creates an elegant appearance.

The coils inside the product are arranged in a staggered pattern and the copper tubes and aluminum fins are mechanically expanded and tightly combined, which leads to an excellent heat exchange effect.

Moreover, our product is designed with an external rotor motor that features a double-sided air outlet. This design creates a soft air supply which significantly reduces the noise level during operation.

DSL Type Double outlet air cooler technical parameters (DSL30)		
NUMBER	Item	Parameter
1	Refrigerating capacity	6200W
2	Nominal area	30
3	Volume	5.3L
4	Fan Number	2
5	Fan diameter	350mm
6	Air Volume	2×2290m³/h

### Applications:

A tailor-made solution for customers is available for different types of refrigeration needs.

The High-temperature type is designed to operate in cold room temperatures ranging from 12°C to 2°C, with a fin space of 4.5mm.

The Medium-temperature type can be used in cold room temperatures ranging from -2°C to -10°C, with a fin space of 6.0mm. For cold rooms with very low temperatures ranging from -10°C to -31°C, the Low-temperature type is recommended, with a fin space of 9.0mm.

## Packing and Shipping:

The Cold Room Evaporator will be securely packaged with foam and other packing materials to prevent any damage during transportation.

### Shipping:

We offer worldwide shipping for the Cold Room Evaporator product. Shipping costs will be calculated based on the destination and shipping method chosen at checkout. Please allow 10 business days for processing and handling before the product is shipped. Once shipped, it typically takes 5-7 business days for the product to arrive at its destination.



**Zhejiang Damai Cold Chain Equipment Co., Ltd.**



86-13246760185



sales3@dmllcn.com



coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province