



Industry Cold Room Double Out Let Evaporator For Low Temperature Storage

Our Product Introduction

for more products please visit us on coldroomunit.com

Basic Information

- Place of Origin: China
- Brand Name: DM
- Certification: CE ISO
- Model Number: DM-DSL60
- Minimum Order Quantity: 1
- Price: 1000-100000
- Packaging Details: Customization
- Delivery Time: 20day
- Payment Terms: TT, L/C
- Supply Ability: 300000/Year



Product Specification

- Casing: Steel Plate With Plastic Spray
- Cold Room Type: Cold Storage (Cold Room)
- Customized: Acceptable
- Defrosting: Water Defrosting
- Temperature: High, Medium, Low Temperature
- Condition: New
- Heat Transfer Efficiency: High
- Tyoe: Air Coler
- Highlight: cold storage cold room evaporator ,
cold storage freezer room evaporator

Product Description

Industry Cold Room Double Out Let Evaporator For Low Temperature Storage

Product Description:

The double outlet air cooler is a piece of cooling equipment specifically designed for warehouses and is ideal for use in food processing rooms. It releases air from both sides and provides a soft air supply, making it a great choice for use in warehousing environments where the temperature exceeds 8°C.

However, if the storage temperature drops below 8°C, it is necessary to install a defrosting electric heater to prevent the cooler from malfunctioning. With the electric heater in place, the air cooler will continue to function properly even in cooler temperatures.



Features:

The shell of the product is constructed of durable steel plate, and the surface is coated with plastic to protect against corrosion. This surface treatment also gives the product an appealing appearance.

The coils within the product are cleverly arranged in a staggered pattern to increase the efficiency of heat transfer. The copper tubes and aluminum fins are closely connected using mechanical expansion. This combination ensures effective heat exchange and therefore optimal performance of the device.

This product is equipped with an external rotor motor. The double-sided air outlet, soft air supply, and low noise make this a high-grade device, designed to provide users with a comfortable experience without disturbances.

DSL Type Double outlet air cooler technical parameters (DSL60)		
NUMBER	Item	Parameter
1	Refrigerating capacity	6200W
2	Nominal area	30
3	Volume	5.3L
4	Fan Number	2
5	Fan diameter	350mm
6	Air Volume	2×2290m³/h

Applications:

Our products are designed to meet the specific needs of our customers. We offer three different temperature types: high, medium, and low.

The high temperature type is designed for cold room temperatures ranging from 12 to -2°C. The fins have a spacing of 4.5mm, which allows for optimal heat transfer and efficiency.

The medium temperature type is ideal for cold room temperatures ranging from -2 to -10°C. The fins on this type of product have a spacing of 6.0mm, which is necessary for effective heat transfer and performance.

Lastly, our low temperature type is designed for cold room temperatures ranging from -10 to -31°C. The fins on this type of product have a wider spacing at 9.0mm, which is required for optimal heat transfer in these extreme temperatures.

Our products are tailor-made for our customers to ensure that their specific needs are met. We strive to provide high-quality and efficient products that exceed our customers' expectations.



Customization:

Model Number: DM.....
Place of Origin: China
Certification: CE ISO
Minimum Order Quantity: 1
Price: 1000-100000
Packaging Details: Customization
Delivery Time: 20day
Payment Terms: TT, L/C
Supply Ability: 300000/Year
Heat Transfer Efficiency: High
Power Supply: 220V/380V/415V
Casing: Steel Plate with Plastic Spray
Cold Room Type: Cold Storage (Cold Room)
Defrosting: Water Defrosting

Packing and Shipping:

The Cold Room Evaporator will be packaged in a sturdy cardboard box to ensure safe delivery.....
The box will be labeled with product information and handling instructions.
Inside the box, the evaporator will be securely packed with foam padding to prevent any damage during transportation.
Shipping:
Shipping will be handled by a reliable courier service.
The estimated delivery time will be provided to the customer upon checkout.
Tracking information will be provided once the product has been shipped.

 **Zhejiang Damai Cold Chain Equipment Co., Ltd.**

 86-13246760185

 sales3@dmllcn.com

 coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province