



## Horizontal Condensing Unit with 380V/ 3p/ 50Hz Voltage and Frequency Fan Species

Our Product Introduction

for more products please visit us on [coldroomunit.com](http://coldroomunit.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: DM
- Certification: CE;ISO
- Model Number: DM-UNIT-L
- Minimum Order Quantity: 1
- Price: \$2000~\$100000
- Packaging Details: Wooden case
- Delivery Time: 30 Work days
- Payment Terms: T/T
- Supply Ability: 1000000pcs/year



DAMAI COLD CHAIN EQUIPMENT



### Product Specification

- Compressor Type: Semi Hermetic Piston
- Frequency: 60Hz
- Evaporating Temp: -35~-23celsius Degree
- Trademark: DM
- Cooling Capacity: 5kw-1000kw
- Controller Brand: CAREL
- Product: Horizontal Condensing Unit
- Model No: MT-HSN15EL
- Highlight: **3p Horizontal Condensing Unit,  
50Hz Horizontal Condensing Unit,  
380V Horizontal Condensing Unit**

## Product Description

### Horizontal Condensing Unit with 380V/ 3p/ 50Hz Voltage and Frequency Fan Species

#### Product Description:

The fully enclosed refrigeration compressor is a well-designed system that is exceptionally efficient, reliable, and easy to maintain. Its compact structure ensures optimal performance while meeting all the requirements of providing cold sources for various applications in industrial and agricultural production as well as commercial circulation.

With its high-efficiency features, the refrigeration compressor is a perfect choice for those who are seeking an energy-efficient option for their cooling needs. It has been designed to deliver maximum performance while conserving energy, which can help to reduce your overall energy consumption and ultimately save you money over the long term.

Moreover, the compressor is fully enclosed, ensuring that it operates within an ideal environment that eliminates any potential risks of contamination or damage. The high-quality construction and durability of the compressor ensure that it can withstand even the harshest environments and operating conditions, making it an excellent choice for a wide variety of applications.

Overall, the fully enclosed refrigeration compressor is a well-designed and reliable option that offers optimal performance, easy maintenance, and a compact structure that meets all the requirements of industrial and agricultural production as well as commercial circulation.

Model Of Unit		DM-UNIT-L1	DM-UNIT-L2	DM-UNIT-L3	DM-UNIT-L4	DM-UNIT-L5
Aoolicable temprature		+10~-15				
Power supply		Customized				
Condenser	Quabtity of fan	1	1	1	2	2
	Air volume(m³/h)	1×3200	1×3200	1×3200	2×3200	2×3200
	Power of fan	1×60	1×60	1×60	2×60	2×60
Interface	The liquid interface	3/8"	3/8"	1/2"	1/2"	1/2"
	Suction pipe interface	5/8"	5/8"	3/4"	3/4"	3/4"
Overall dimensions	Length (mm)	950	950	950	950	950
	Width (mm)	375	375	375	375	375
	Height (mm)	853	853	853	1240	1240
Installation dimensions	Length (mm)	515	515	515	515	515
	Width (mm)	405	405	405	405	405

#### Features:

Copeland fully enclosed refrigeration compressor is chosen for its exceptional quality, high dependability, minimal noise, and excellent efficiency. This compressor is a reliable choice for any refrigeration system.

In addition to the compressor, we also use a copper tube aluminum sheet condenser to improve efficiency and ensure a long service life. The high heat exchange efficiency of this condenser is a major benefit for our customers.



#### Applications:

The increasing demand for refrigeration systems has led to a widespread usage of this unit, which is designed to accommodate specific requirements. This unit is highly useful in a variety of settings, including frozen and refrigerated warehouses, display cabinets, fruit and vegetable preservation warehouses, fungus breeding warehouses, and more.

Due to its versatile abilities, this unit is considered an incredibly valuable asset for businesses and organizations that require precise temperature control. Its ability to maintain optimal refrigeration conditions ensures that perishable items are stored correctly, preserving their quality and extending their shelf life.

Without a doubt, the inclusion of this unit will greatly benefit businesses and organizations of all sizes. Its functionality and reliability make it a top choice for those who seek to optimize their refrigeration systems and meet industry standards.

### Support and Services:

Our Condensing Unit product comes with a comprehensive technical support and service package to ensure optimal performance and longevity. Our team of experienced technicians is available to provide troubleshooting assistance, repair services, and maintenance recommendations to keep your unit running smoothly.

In addition, we offer training programs for our customers to ensure that they have the knowledge and skills necessary to operate and maintain their Condensing Unit effectively. We also provide technical documentation and manuals to guide our customers through installation and operation processes.

Our commitment to customer service extends beyond the initial purchase of our Condensing Unit product. We offer ongoing support to our customers, including regular maintenance services, replacement parts, and upgrades to ensure the continued efficiency of the unit.



### Packing and Shipping:

**Product Packaging:**

The condensing unit will be packaged securely in a durable cardboard box with foam padding to prevent any damage during shipping.

**Shipping:**

We offer shipping within the continental United States. The condensing unit will be shipped via ground transportation and will typically arrive within 30 business days from the date of purchase.



**Zhejiang Damai Cold Chain Equipment Co., Ltd.**



86-13246760185



sales3@dmllcn.com



coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province