



Food Storage Condensing Unit with 60Hz Frequency and Semi Hermetic Piston Compressor

Basic I	nform	nation

- Place of Origin:
- Brand Name:
- Certification:
- Model Number: DM-UNIT-L

CHINA

CE;ISO

DM

1

- Minimum Order Quantity:
- Price: \$2000~\$100000
- Packaging Details: Wooden case
- Delivery Time: 30 Work days
- Payment Terms: T/T
- Supply Ability: 100000pcs/year



Product Specification

Cooling Capacity:	5kw-1000kw
Condenser:	Air-cooled Condenser
Product:	Horizontal Condensing Unit
• Power Type:	DC
Controller Type:	Microprocessor
Controller Brand:	CAREL
• Mute:	No
Suitable For:	Supermarket, Food Storage,Cold Room
Highlight:	60Hz Condensing Unit, Food Storage Condensing Unit, Semi Hermetic Piston Compressor Condensing Unit

Food Storage Condensing Unit with 60Hz Frequency and Semi Hermetic Piston Compressor

Product Description:

The high-efficiency fully enclosed refrigeration compressor is a meticulously designed machine that possesses numerous benefits. This apparatus is ideally suited to meeting the demand for refrigeration in both industrial and agricultural production, as well as commercial circulation. With its exceptional performance and reliable operation, this compressor provides a stable source of cold air, making it a perfect fit for small to medium-sized businesses that require refrigeration.

The exceptional reliability of this compressor ensures that it can function without issue for extended periods, even under extreme conditions. Its compact structure also makes it a great option for saving space, leaving more room for other equipment. Businesses can eliminate expensive and difficult servicing costs while also decreasing downtime, thanks to its easy-to-maintain design. This also makes this refrigeration machine remarkably user-friendly.

To sum up, the high-efficiency fully enclosed refrigeration compressor is an excellent choice for anyone who needs a dependable and effective source of refrigeration. Its multiple benefits, including performance, reliability, and compactness, make it an ideal option for a diverse range of applications.

Мо	del Of Unit	DM-UNIT-L1	DM-UNIT- L2	DM-UNIT- L3	DM-UNIT- L4	DM-UNIT- L5	
Aoolicable temperture		+10~-15					
Power supply		Customized					
Condenser	Quabtity of fan	1	1	1	2	2	
	Air volume(m ³ /h)	1×3200	1×3200	1×3200	2×3200	2×3200	
	Power of fan	1×60	1×60	1×60	2×60	2×60	
Interface	The liquid interface	3/8"	3/8"	1/2"	1/2"	1/2"	
	Suction pipe interface	5/8"	5/8"	3/4"	3/4"	3/4"	
Overall dimensions	Length (mm)	950	950	950	950	950	
	Width (mm)	375	375	375	375	375	
	Height (mm)	853	853	853	1240	1240	
Installation dimensions	Length (mm)	515	515	515	515	515	
	Width (mm)	405	405	405	405	405	

Features:

At our company, we are dedicated to providing our customers with the most efficient and reliable refrigeration system. To achieve this goal, we have selected a copper tube aluminum sheet condenser which maximizes heat exchange efficiency, ensuring superior cooling and energy savings. Moreover, compared to other alternatives, this condenser has a longer service life which means your product remains in optimal condition for a longer period of time.

We understand that providing quality refrigeration products is crucial in meeting the demands of our customers' businesses. Hence, we only use high-quality materials and components to guarantee that our products are durable, efficient, and cost-effective in the long run. We strive to offer you the best products that you can rely on.

Applications:

The versatility of this particular unit allows for it to be utilized in a myriad of locations, especially those with distinct refrigeration system - requirements.

Unique locations that are capable of benefiting from this specialized refrigeration unit include frozen and refrigerated warehouses, display cabinets, fungus breeding warehouses, as well as fruit and vegetable preservation facilities.



Support and Services:

The Condensing Unit product technical support and services include: Installation assistance Product troubleshooting Warranty and repair services Replacement parts Product maintenance and cleaning recommendations Technical documentation and product manuals For any questions or concerns about our Condensing Unit product, please contact our customer support team.



Product Packaging: - The condensing unit will be well-packed in a sturdy box to ensure safe delivery. - The box will also contain protective foam to prevent any damage during transportation. Shipping: - The condensing unit will be shipped via a reputable carrier to ensure timely delivery. - A tracking number will be provided to the customer once the unit has been shipped. - Shipping fees may apply and will be calculated at checkout.

D Zhejiang Damai Cold Chain Equipment Co., Ltd.

🔇 86-13246760185 🛛 🖻 sales3@dmllcn.com 🛛 😥 coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province