



Industry Low Temperature Cooling Commercial Condensing Unit with 5kw-1000kw Cooling Capacity

Our Product Introduction

for more products please visit us on coldroomunit.com

Basic Information

- Place of Origin: CHINA
- Brand Name: DM
- Certification: CE;ISO
- Model Number: DM-UNIT-L
- Minimum Order Quantity: 1
- Price: \$2000~\$100000
- Packaging Details: Wooden case
- Delivery Time: 30 Work days
- Payment Terms: T/T
- Supply Ability: 1000000pcs/year



DAMAI COLD CHAIN EQUIPMENT



Product Specification

- Model No: MT-HSN15EL
- Controller Type: Microprocessor
- Controller Brand: CAREL
- Frequency: 60Hz
- Mute: No
- Power Type: DC
- Condensing Temperature: 0~10c And -15~-25c
- Trademark: DM
- Highlight: 1000kw Condensing Unit,
Industry Condensing Unit,
Commercial Condensing Unit

Industry Low Temperature Cooling Commercial Condensing Unit with 5kw-1000kw Cooling Capacity

Product Description:

High-efficiency Fully Enclosed Refrigeration Compressor. -----

The meticulously designed high-efficiency fully enclosed refrigeration compressor boasts numerous benefits that make it an excellent option for various applications. It offers exceptional performance and reliable operation, while its space-saving compactness is an added advantage.

Whether used in industrial, agricultural, or commercial settings, this compressor provides a reliable and stable source of cold air. Its high-performance capabilities ensure consistent performance even under extreme conditions. Additionally, its compact structure means that it is ideal for small to medium-sized operations that require refrigeration.

Maintenance of this refrigeration machine is remarkably user-friendly, with no need for specialized expertise. This factor contributes to high uptime, low operational costs, and reduced downtime, which is crucial in commercial settings. The easy-to-maintain design implies that businesses can eliminate expensive and challenging servicing costs.

In conclusion, the high-efficiency fully enclosed refrigeration compressor is an ideal choice for anyone who seeks a dependable and effective source of refrigeration. Its multiple benefits, including performance, reliability, and compactness, make it a perfect option for a diverse range of applications.

Model Of Unit		DM-UNIT-L1	DM-UNIT-L2	DM-UNIT-L3	DM-UNIT-L4	DM-UNIT-L5
Aoolicable temprature		+10~-15				
Power supply		Customized				
Condenser	Quabtity of fan	1	1	1	2	2
	Air volume(m³/h)	1×3200	1×3200	1×3200	2×3200	2×3200
	Power of fan	1×60	1×60	1×60	2×60	2×60
Interface	The liquid interface	3/8"	3/8"	1/2"	1/2"	1/2"
	Suction pipe interface	5/8"	5/8"	3/4"	3/4"	3/4"
Overall dimensions	Length (mm)	950	950	950	950	950
	Width (mm)	375	375	375	375	375
	Height (mm)	853	853	853	1240	1240
Installation dimensions	Length (mm)	515	515	515	515	515
	Width (mm)	405	405	405	405	405

Features:

Our product uses the exceptional quality, highly reliable, low operating noise, and outstandingly efficient Copeland fully enclosed ----- compressor for refrigeration. We have carefully selected this compressor for its ability to work efficiently and quietly for extended periods to meet your refrigeration needs without hassle.

To optimize our refrigeration system, we have chosen to use a copper tube aluminum sheet condenser. This condenser has a high heat exchange efficiency, ensuring increased energy savings and superior cooling. Furthermore, compared to other alternatives, this condenser has a longer service life, ensuring that your product remains in optimal condition for a more extended period.

At our company, we understand the importance of reliable and high-quality refrigeration products that meet the demands of your business. We strive to provide durable, efficient, and cost-effective refrigeration products by sourcing only the best materials and components.



Applications:

The versatility of this unit makes it suitable for a variety of settings that require specialized refrigeration systems. Its applications are -----

increasingly diverse, and it can fulfill the needs of unique refrigeration demands found in various locations. Such specialized locations include frozen and refrigerated warehouses, which require powerful and flexible cooling capabilities to preserve a wide range of products. This unit is also ideal for display cabinets that need to maintain a consistent temperature and humidity level to showcase perishable items such as desserts and pastries. Additionally, fruit and vegetable preservation warehouses can benefit from this unit's ability to store produce at optimal temperatures for extended periods. Furthermore, the unit is also suitable for fungus breeding warehouses, where maintaining precise and stable environmental conditions are crucial to fungus growth and quality.

Support and Services:

Our Condensing Unit product comes with comprehensive technical support and services to ensure optimal performance and longevity. Our team of experienced technicians is available to provide assistance with installation, maintenance, and troubleshooting. We also offer regular maintenance and inspection services to prevent potential issues and ensure peak efficiency. In addition, we provide training and educational resources for our customers to improve their understanding of our product and its capabilities. Trust us to provide reliable and efficient support for your Condensing Unit needs.



Packing and Shipping:

Product Packaging: -----

The condensing unit will be carefully packaged in a sturdy cardboard box with foam inserts to protect it during transportation.

Shipping:

We offer free standard shipping for all condensing unit orders within the continental United States. Orders typically ship within 15 business days and delivery time is estimated to be between 30 business days. Expedited shipping options are also available for an additional fee.



Zhejiang Damai Cold Chain Equipment Co., Ltd.



86-13246760185



sales3@dmllcn.com



coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province