



Commerical Condensing Unit with 380V/3p/50Hz Voltage and -35--23celsius **Degree Evaporating Temp**

Basic Information

• Place of Origin: **CHINA** • Brand Name: DM · Certification: CE;ISO • Model Number: DM-UNIT-H

• Minimum Order

Quantity:

• Price: \$2000~\$100000 · Packaging Details: Wooden case • Delivery Time: 30 Work days

• Payment Terms: T/T

· Supply Ability: 1000000pcs/year



Product Specification

· Voltage: 380V/3p/50Hz, 220V/3p/60Hz, 380V/3p/

60Hz

Horizontal Condensing Unit • Product:

• Condenser: Air-cooled Condenser

MT-HSN15EL · Model No:

• Frequency: 60Hz

• Compressor: HIGHLY Rotor Inverter Compressor

• Controller Type: Microprocessor

• Evaporating Temp: -35~-23celsius Degree

• Highlight: 380v condenser unit, 380v condensing unit,

220v condenser unit

Commerical Condensing Unit with 380V/ 3p/ 50Hz Voltage and -35--23celsius Degree Evaporating Temp

Product Description:

Temperature

The temperature range for this product is versatile, allowing you to choose the suitable temperature range based on your specific needs. The temperature range is from 0 to 10 and -15 to -25 which makes the product suitable for a wide range of applications.

The horsepower of this product covers a broad range from 3HP to 34HP, giving you flexibility in choosing the best horsepower range based on the project requirements. Selecting the right horsepower for your product will help achieve optimal performance and efficiency. Compressor Type

This product features a semi-hermetic piston compressor type. This compressor type has a reputation for its highly efficient and reliable performance, making it the preferred choice for industrial applications. With the semi-hermetic piston type, you can be confident in the product's long-term durability and optimal performance.

The voltage options for this product include 380V/3P/50Hz, 220V/3P/60Hz, and 380V/3P/60Hz. Selecting the correct voltage suitable for your power supply is essential to ensure the safe and efficient operation of the product. Please carefully determine which voltage option is most suitable to match your power supply.

Main Machine Configuration

This product is equipped with a comprehensive main machine configuration to ensure maximum performance levels. The main machine configuration includes:

Compressor

Condenser

Oil Heating

Liquid Receiver

Filter

Sight Glasses

Solenoid Valve

H/L P Gauge

Pressure Controller

Oil Pressure Protection

Vibration Eliminator

Oil Separator

Gas Separator

Suction Filter

The inclusion of these components ensures that the product operates optimally and consistently. By incorporating each component in the main machine configuration, the product functions smoothly and delivers reliable performance levels.



Features:

Our product is designed with a compact structure to ensure maximum efficiency and take up minimal space. It may be small in size, but it comes fully equipped with complete protective devices, offering a safe experience during the usage.

An increased condenser has been installed in our product to promote excellent heat dissipation, enhancing the lifespan of the machine. Moreover, the design is focused on providing a long-lasting cooling effect with sustained performance.

Using our product can reduce your electricity bill up to 30%, making it a smart and environmentally-friendly investment. The machine operates at low noise levels, delivering comfortable ambient surroundings.

Our product is built with high-quality brand accessories and parts only, ensuring optimal performance and longevity. You can trust that each component is precisely designed and carefully constructed with optimal durability in mind.

item	value
Condition	New
Applicable Industries	Building Material Shops, Manufacturing Plant, Food & Beverage Factory, Food Shop, Construction works, Energy & Mining, Food & Beverage Shops, Other
Weight (KG)	65
Showroom Location	Viet Nam
Video outgoing- inspection	Provided
Machinery Test Report	Provided
Marketing Type	New Product 2023
Place of Origin	China
Туре	Refrigeration Compressor
Application	Refrigeration Parts
Warranty	1 Year
Product name	Condensing Unit
Refrigerant	R404A.R134a.R507
Description	Cold Storage Refrigeration System
MOQ	1 Set
Keywords	Customized and Low Noise With Cheaper Price

Applications:

Standard Configuration of Screw Type Parallel Compressor Refrigeration Unit __

A screw type parallel compressor refrigeration unit is available in two types: low-temp and high-temp. The low-temp type consists of several components including a screw compressor, liquid receiver, gauge panel, high and low-pressure controller, electric cabinet, oil separator, water-cooling type oil cooler, economizer, liquid supply filter, suction line filter, and injection components. Conversely, the high-temp type includes a screw compressor, liquid receiver, gauge panel, high and low-pressure controller, electric cabinet, oil separator, spray liquid cooling system, liquid supply filter, and suction line filter.

Advantages of Screw Type Parallel Compressor Refrigeration Unit

The screw type parallel compressor refrigeration unit offers the following benefits:

It uses semi-hermetic refrigeration compressors that offer good quality and reliable performance.

The product has multiple semi-hermetic compressors that are paralleled together to form one integrated system. All the compressors share the discharge pipes and suction pipes to form one unit, this paralleled system is simple to integrate into control and capacity adjustment.

The structure of the unit is compact to save installation space.

The multi-level energy regulation can be achieved based on the cooling load change, which also reduces the equipment running cost. It reduces the impact on operation caused by machine failure, hence increasing the reliability of the unit operation.

The unit can provide both R404a and R22 units.

Support and Services:

Our Condensing Unit product comes with reliable technical support and services to ensure optimal performance and customer satisfaction. Our team of experienced technicians is available to provide guidance and assistance with installation, operation, and maintenance of the product. We also offer comprehensive training programs to educate our customers on the proper use of the Condensing Unit. Additionally, we provide repair and replacement services for any faulty parts or components to minimize downtime and maximize productivity. Our goal is to provide top-notch technical support and services to our customers to ensure the longevity and efficiency of their Condensing Unit product.

3/5 HP Refrigeration Unit for Cold Room Equipment Condensing

Packing and Shipping:

Product Packaging:

The condensing unit will be securely packaged in a sturdy cardboard box.

The box will be labeled with product information and handling instructions.

The unit may be disassembled for shipping purposes, but all necessary components will be included. Shipping:

The package will be shipped via a trusted carrier, such as UPS or FedEx.

Shipping times may vary depending on the destination, but an estimated delivery date will be provided.

Tracking information will be provided so that the customer can monitor the status of their shipment.

Any damages incurred during shipping should be reported immediately to the carrier and to the seller.

M Zhejiang Damai Cold Chain Equipment Co., Ltd.

86-13246760185 Sales3@dmllcn.com

© coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province