



Pharmaceutical Storage Cold Room Condensing Unit with 5kw-1000kw Cooling Capacity

Our Product Introduction

for more products please visit us on coldroomunit.com

Basic Information

- Place of Origin: CHINA
- Brand Name: DM
- Certification: CE;ISO
- Model Number: DM-UNIT-H
- Minimum Order Quantity: 1
- Price: \$2000~\$100000
- Packaging Details: Wooden case
- Delivery Time: 30 Work days
- Payment Terms: T/T
- Supply Ability: 1000000pcs/year



Product Specification

- Compressor: HIGHLY Rotor Inverter Compressor
- Condenser: Air-cooled Condenser
- Model No: MT-HSN15EL
- Product: Horizontal Condensing Unit
- Suitable For: Supermarket, Food Storage, Cold Room
- Evaporating Temp: -35~-23celsius Degree
- Trademark: DM
- Voltage: 380V/ 3p/ 50Hz, 220V/ 3p/ 60Hz, 380V/ 3p/ 60Hz
- Highlight: 5kw cold room condensing unit,
5kw condensing unit for cold room ,
1000kw cold room condensing unit

Product Description

Pharmaceutical Storage Cold Room Condensing Unit with 5kw-1000kw Cooling Capacity

Product Description:

Temperature

The product is available in two temperature range options: 0 to 10 and -15 to -25 . Depending on your requirements, you can select the ideal temperature range for your needs.

Horsepower

The horsepower rating for this product ranges from 3HP to 34HP. Depending on your project requirements, you can choose the suitable horsepower that will meet your needs.

Compressor Type

The compressor type for this product is semi-hermetic piston. Known for its high efficiency and reliability, this compressor type is a popular choice for industrial applications.

Voltage

For safe and efficient operation of the product, voltage options include 380V/3P/50Hz, 220V/3P/60Hz, and 380V/3P/60Hz. You can choose the voltage that matches your power supply requirements.

Main Machine Configuration

The product's main machine configuration includes a comprehensive list of components for optimal performance. These components include: compressor, condenser, oil heating, liquid receiver, filter, sight glasses, solenoid valve, H / L P gauge, pressure controller, oil pressure protection, vibration eliminator, oil separator, and suction filter.



Features:

Our product has been meticulously designed to optimize space and efficiency. Its compact size is carefully balanced by our full protective devices, ensuring complete safety for the user.

Additionally, our machine is equipped with a high-quality increase condenser that facilitates outstanding heat dissipation and extends the lifespan of the unit. The design is constructed for a lasting cooling effect, ensuring sustained performance over a long duration.

By investing in our product, you can expect to save up to 30% on your electricity bill. Our machine is an intelligent choice for your wallet and for the environment. Our low noise levels also provide a comfortable ambient environment.

We take pride in using only the best in high-quality brand accessories and parts. This guarantees optimal performance and longevity. Rest assured that our product is built with precision and care, ensuring long-lasting durability.

item	value
Condition	New
Applicable Industries	Building Material Shops, Manufacturing Plant, Food & Beverage Factory, Food Shop, Construction works, Energy & Mining, Food & Beverage Shops, Other
Weight (KG)	65
Showroom Location	Viet Nam
Video outgoing-inspection	Provided
Machinery Test Report	Provided
Marketing Type	New Product 2023
Place of Origin	China
Type	Refrigeration Compressor
Application	Refrigeration Parts
Warranty	1 Year
Product name	Condensing Unit
Refrigerant	R404A.R134a.R507

Description	Cold Storage Refrigeration System
MOQ	1 Set
Keywords	Customized and Low Noise With Cheaper Price

Applications:

Standard Configuration of Screw Type Parallel Compressor Refrigeration Unit

A screw type parallel compressor refrigeration unit is available in two types: low-temp and high-temp. The low-temp type consists of a screw compressor, liquid receiver, gauge panel, high and low-pressure controller, electric cabinet, oil separator, water-cooling type oil cooler, economizer, liquid supply filter, suction line filter, and injection components. The high-temp type, on the other hand, includes a screw compressor, liquid receiver, gauge panel, high and low-pressure controller, electric cabinet, oil separator, spray liquid cooling system, liquid supply filter, and suction line filter.

Advantages of Screw Type Parallel Compressor Refrigeration Unit

The screw type parallel compressor refrigeration unit offers several advantages:

It uses semi-hermetic refrigeration compressors that promise good quality and reliable performance.

The product features multiple semi-hermetic compressors that are paralleled together to form one integrated system. The discharge pipes and suction pipes are shared by all the compressors for each unit. The paralleled system is simpler for integrated control and capacity adjustment.

The structure is compacted to save installation space.

The multilevel energy regulation can be realized according to the change of cooling load, which also helps reduce the equipment running cost.

It reduces the influence on operation caused by machine failure, thus increasing the reliability of the unit operation.

The unit can provide R404a and R22 units.

Support and Services:

Our Condensing Unit product comes with comprehensive technical support and services to ensure that our customers have a seamless experience in using our product. Our support team is available to provide assistance with installation, operation, and maintenance of the condensing unit. We also offer regular maintenance and repair services to ensure that the unit is functioning at its best at all times.

Our technical support and services include:

24/7 phone and email support

On-site installation assistance

Regular maintenance and repair services

Training on product operation and maintenance

Parts replacement and repair services

3/5 HP Refrigeration Unit for Cold Room Equipment Condensing

Packing and Shipping:

Product Packaging:

The condensing unit will be securely packed in a wooden box.

Extra padding material will be used to prevent any damage during transportation.

The packaging will include all necessary accessories and manuals.

Shipping:

The condensing unit will be shipped via a reliable and reputable courier service.

Shipping fees may vary depending on the destination and shipping method chosen.

The estimated delivery time will be provided upon checkout.

A tracking number will be provided for easy tracking of the package.

Please inspect the package upon delivery and contact us if there are any damages.



Zhejiang Damai Cold Chain Equipment Co., Ltd.



86-13246760185



sales3@dmllcn.com



coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province