



Synchronized Screw Parallel Unit In Metal

Basic Information

- Place of Origin:
- Brand Name:
- Certification: CE
- Model Number:
- Minimum Order
 Quantity:
- Packaging Details: Customized according to customers

DM-JZ-LGJ

China

DM

1

- Delivery Time: 30 work day
- Payment Terms: T/T, L/C, D/A



Product Specification

Product Type:	Parallel Unit
Product Weight:	1kg
Product Efficiency:	Efficient
Product Package:	Wodden Box
Product Material:	Metal
Product Color:	Green
Product Size:	Standard
Product Strength:	Strong

Product Description:

High-temperature Type:

This type of compressor unit is suitable for environments with an evaporating temperature range of 12.5°C to -10°C. The compressor motor's nominal power ranges from 60HP to 600HP.



Intermediate-temperature Type:

If the environment requires an evaporating temperature range of -15°C to -30°C, this type of compressor unit would work best. The nominal power of the compressor motor ranges from 50HP to 540HP.

Low-temperature Type:

For environments with an evaporating temperature range of -35°C to -45°C, a low-temperature type compressor unit is needed. The nominal power of the compressor motor in this type of unit ranges from 50HP to 540HP.

Features:

Product Name: Screw Parallel Unit Product Package: Wooden Box Product Usage: Industrial Product Color: Green Product Precision: High Product Compatibility: Various Machines Features: Coordination Screw Tool Interlocked Screw Device Autosynchronized Screw Kit

Technical Parameters:

Mod el	Evaporat ive Tempera ture	Refr iger ant	Pow er Sup ply	Comp ressor Model		Cooling Capacit y(KW)	Po wer (K W)	Suctio n Pipeint erface	Exhaus t pipe interfac e	Outle t interf ace	Inlet pipe interfa ce	L e n gt h	W id th	H ei g h t	Comp resso r	Cert ifica tion
DM- 1D- 20- RZL	10 ~-50	R40 4A/ R50 7A	380 V/50 Hz	HSN5 343-20	1	55	23. 8	54	42	28	35	2 0 0 0	-	1 5 0 0	Bitzer ,Hanb ell, etc.	CE
DM- 1D- 25- RZL	10 ~-50	R40 4A/ R50 7A	380 V/50 Hz	HSN5 353-25	1	64.2	27. 2	54	42	28	35	2 0 0 0	-	1 5 0 0	Bitzer ,Hanb ell, etc.	CE

DM- 1D- 30- RZL	10 ~-50	R40 4A/ R50 7A	380 V/50 Hz	HSN5 363-30	1	73.3	30. 8	54	42	28	35	2 0 0 0	1 0 5 0	1 5 0 0	Bitzer ,Hanb ell, etc.	CE
DM- 1D- 40- RZL	10 ~-50	R40 4A/ R50 7A	380 V/50 Hz	HSN6 451-40	1	88.5	34. 6	54	42	28	35	2 2 0 0	1 0 5 0	1 5 0 0	Bitzer ,Hanb ell, etc.	CE
DM- 1D- 50- RZL	10 ~-50	R40 4A/ R50 7A	380 V/50 Hz	HSN6 461-50	1	101.5	42. 5	54	42	28	35	2 2 0 0	1 0 5 0	1 5 0 0	Bitzer ,Hanb ell, etc.	CE
DM- 1D- 60- RZL	10 ~-50	R40 4A/ R50 7A	380 V/50 Hz	HSN7 451-60	1	125.9	50	76	54	45	35	2 4 0 0	1 0 5 0	1 7 0 0	Bitzer ,Hanb ell, etc.	CE

This table shows various model parameters for a unit of refrigeration. The different models have varying cooling capacities and dimensions, however, they all operate with refrigerants R404A/R507A, use a single compressor, and are certified with mark. Additionally, the table details the compressor model, power usage, and the dimensional specifications of each model.

Applications:

The compressor motor is an essential component of a refrigeration system. The performance of the refrigeration system depends on the type and power rating of the compressor. There are three main types of compressor motors based on the evaporating temperature, namely high-temperature, intermediate-temperature, and low-temperature types.



Packing and Shipping:

Product Packaging: <u>One Screw Parallel Unit</u> <u>Protective foam packaging</u> Shipping: <u>Ships within 1-2 business days</u> <u>Standard shipping rates apply</u> <u>Tracking number provided</u>



FAQ:

- Q: What is the brand name of this product?
- A: The brand name of this product is DM.
- Q: Where is this product manufactured?
- A: This product is manufactured in China.
- Q: What is the function of this product?
- A: This product is a Screw Parallel Unit used in industrial machinery to maintain precise alignment of components.
- Q: What is the warranty period for this product?
- A: We do not have warranty-related information available at this time. Please contact the manufacturer for further details.

D Zhejiang Damai Cold Chain Equipment Co., Ltd.

