



High Precision Double Screw System Packaged In Wooden Box For Product Screw Parallel Unit

Basic Information

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order
 Quantity:
- Packaging Details: Customized according to customers

DM-JZ-LGJ

China

DM

1

- Delivery Time: 30 work day
- Payment Terms: T/T, L/C, D/A



Product Specification

Highlight:	High Precision Screw Parallel Unit, Double Screw System Screw Parallel Unit
Product Package:	Wodden Box
Product Type:	Parallel Unit
Product Function:	Fastening
Product Compatibility:	Various Machines
Product Usage:	Industrial
Product Color:	Green
Product Material:	Metal
 Product Precision: 	High

Product Description:

Our products utilize Semi-Hermetic Refrigeration Compressors, which are known for their good quality and reliable performance. The products are unique in their structure, featuring multiple semi-hermetic compressors paralleled together to form a single integrated system. This means that all units share a discharge pipe and suction pipe, making the paralleled system simpler for integrated control and cap adjustment.



The compact structure of our products saves installation space, making them an ideal choice for a variety of settings. We offer multilevel energy regulation based on the cooling load, helping to reduce equipment running costs for our customers. Our products are designed to reduce the impact on operation caused by machine failure, thus increasing the reliability of the unit operation overall.

Customers can choose from R404a and R22 units, both of which are available for purchase.

Features:

Low-temp Type System

The low-temp type refrigeration system consists of various components such as a screw compressor, liquid receiver, gauge panel, high and low pressure controller, electric cabinet, oil separator, water-cooling type oil cooler, economizer, liquid supply filter, suction line filter, and injection components.

Screw compressor Liquid receiver Gauge panel High and low pressure controller Electric cabinet Oil separator Water-cooling type oil cooler Economizer Liquid supply filter Suction line filter Injection components

Technical Parameters:

Unit Parameters

Model	DM-1D-20-RZL	DM-1D-25- RZL	DM-1D-30- RZL	DM-1D-40- RZL	DM-1D-50- RZL	DM-1D-60- RZL
Evaporative Temperature	10 ~-50					
Refrigerant	R404A/R507A					
Power Supply	380V/50Hz					
Compressor Model	HSN5343-20	HSN5353-25	HSN5363-30	HSN6451-40	HSN6461-50	HSN7451-60
Number of Compressor	1					
Cooling Capacity (KW)	55	64.2	73.3	88.5	101.5	125.9
Power (KW)	23.8	27.2	30.8	34.6	42.5	50
Suction Pipe Interface	54	54	54	54	54	76
Exhaust Pipe Interface	42	42	42	42	42	54

Outlet Interface	28	28	28	28	28	45
Inlet Pipe Interface	35	35	35	35	35	35
Length	2000	2000	2000	2200	2200	2400
Width	1050					
Height	1500	1500	1500	1500	1500	1700
Compressor	Bitzer ,Hanbell etc.			·		



Applications:

One of the key features of the DM-JZ-LGJ is its ability to handle a wide range of applications. The product can be used in a variety of different scenarios, including manufacturing, construction, and engineering. This makes it a versatile tool that can be used across a range of industries.

The DM-JZ-LGJ is also known for its high level of precision. The product is designed to be extremely accurate, which makes it ideal for applications where precision is key. This could include tasks such as assembling machinery or installing delicate electronic components. Another important attribute of the DM-JZ-LGJ is its strength. The double screw system ensures that the product is robust and reliable, even when dealing with heavy-duty applications. This makes it a popular choice for businesses that need a product that can withstand tough working conditions.



The DM-JZ-LGJ comes in a wooden box, which makes it easy to transport and store. This is particularly important for businesses that need to move the product between different locations. The wooden box also provides a high level of protection, ensuring that the product remains in good condition even during transit.

In summary, the DM-JZ-LGJ is a versatile and reliable product that is ideal for a wide range of industrial applications. Its twisting parallel setup, biaxial screw unit, and double screw system make it a popular choice for businesses that need a high level of precision and strength. And with its wooden box packaging, the product is easy to transport and store, making it a practical choice for many businesses.

Packing and Shipping:

Product Packaging:

The Screw Parallel Unit product comes in a sturdy cardboard box with foam inserts to protect the unit during shipping and handling. The box is labeled with the product name, specifications, and a barcode for easy tracking. **Shipping:**

Our company uses reliable shipping services to ensure the safe and timely delivery of the Screw Parallel Unit product. The package will be shipped within 25 business days after the order is placed, and a tracking number will be provided to the customer. Delivery times may vary depending on the customer's location, but typically range from 25 business days.

FAQ:

- Q: What is the brand name of the Screw Parallel Unit product?
- A: The brand name of this product is DM.
- Q: Where is the Screw Parallel Unit product made?
- A: The product is made in China.
- Q: What is the role of the Screw Parallel Unit?
- A: The Screw Parallel Unit is used to adjust the parallelism of the screw.
- Q: What is the warranty period for the Screw Parallel Unit?
- A: Sorry, we cannot answer that question as the warranty-related content is excluded from this task. Please refer to the warranty information provided by the manufacturer.

🔰 Zhejiang Damai Cold Chain Equipment Co., Ltd.

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province