

Salt Spray Test Up To 1000 Hours Air Cooler Condenser Noise Level 25-35 DB Cooling Capacity Depends On Size And Material

Basic Information

- Brand Name:
- Certification: CE;ISO
- Model Number:
- Minimum Order
 Quantity:
- Price: \$200~\$100000

Damai

DM-FNH

1

- Packaging Details: Wooden Case
- Delivery Time: 15 Work Days
- Payment Terms: T/T;L/C
- Supply Ability: 100000pcs/year



Product Specification

• Type:	Fin And Tube
Maximum Working Pressure:	300 Psi
• Fan Motor:	Single Or Three Phase
Keyword:	Blast Freezer
Corrosion Resistance:	Salt Spray Test Up To 1000 Hours
Noise Level:	25-35 DB
Dryer Included:	Yes
• Fin Thickness:	0.2mm
Highlight:	Salt Spray Test Air Cooler Condenser, 25-35 DB Air Cooler Condenser, 1000 Hours Air Cooler Condenser

for more products please visit us on coldroomunit.com



NOT BE THE R.



CONTRACTOR OF THE OWNER OWNER OF THE OWNER OWNE

DM FNH is designed for high-efficiency heat exchange in compact refrigeration and air-conditioning systems. Featuring a unique H-shaped coil configuration, it maximizes the heat transfer surface area within limited spaces, ensuring optimal thermal performance. Manufactured with premium-quality copper tubes and aluminum fins, the H-type condenser offers excellent corrosion resistance, mechanical strength, and long service life. Its compact design, combined with efficient airflow management, makes it a preferred choice for a variety of cooling applications.

M)M

M

Product Description:

The H-type condenser is a specialized heat exchange unit tailored for refrigeration and air conditioning systems. Featuring a distinctive - - - horizontal "H" configuration, this high-efficiency condenser is engineered to maximize airflow, improve heat dissipation, and maintain a compact structure.

Crafted with premium copper tubes and aluminum fins, the condenser boasts exceptional thermal conductivity and resistance to corrosion, ensuring superior performance and durability even in challenging conditions.



Features:

Horizontal "H" Shape Design: The cooling system features a unique horizontal "H" shape design that not only minimizes the footprint for a more compact layout but also enhances heat transfer efficiency.

High-Performance Copper Tubes: Designed with high-performing copper tubes and aluminum fins construction, this system ensures optimal heat dissipation for efficient cooling.

Anti-Corrosion Coating: To prolong the service life of the system, an anti-corrosion coating is available as an option, providing added protection against corrosion.

Multiple Capacities: This cooling system is offered in various capacities to accommodate different cooling requirements, ensuring versatility and adaptability to specific needs.

Easy Installation and Maintenance: With accessible connections, installation and maintenance of the system are quick and hassle-free, saving time and effort.

Customizable Fan Options: Customize the fan options to enhance airflow and reduce noise, allowing for a tailored cooling solution that meets specific preferences.



Technical Parameters:

Warranty	1 Year
Maximum Working Pressure	300 Psi
Туре	Fin And Tube
Fin Thickness	0.2mm
Coil Rows	2
Keyword	Blast Freezer
Hs Code	8404200000
Noise Level	25-35 DB
Corrosion Resistance	Salt Spray Test Up To 1000 Hours
Bracket Included	Yes



Applications:

Commercial refrigeration systems are commonly utilized in businesses such as restaurants, grocery stores, and convenience stores. These systems play a crucial role in keeping food items, beverages, and other perishable goods at the right temperature to ensure freshness and quality.

Industrial chillers and process cooling equipment are used in various manufacturing processes to control the temperature of machinery, products, or components. These systems help maintain optimal working conditions and improve efficiency in industrial settings. HVAC systems in buildings and facilities are responsible for regulating indoor temperature, humidity, and air quality. These systems are crucial for creating a comfortable and healthy environment for occupants, whether in residential, commercial, or industrial buildings. Supermarkets and food processing plants rely heavily on refrigeration systems to store and preserve food products. These facilities use a combination of cold storage units, walk-in freezers, and refrigerated display cases to ensure that perishable goods are kept at the ideal temperature throughout the supply chain.



Customization:

Product Customization Services for the Air Cooler Condenser:

- Brand Name: Damai

- Model Number: DM-HNH

- Place Of Origin: China
- Certification: CE;ISO
- Minimum Order Quantity: 1
- Price: \$200~\$100000
- Packaging Details: Wooden Case
- Delivery Time: 15 Work Days
- Payment Terms: T/T;L/C
- Supply Ability: 1000000pcs/year
- Noise Level: 25-35 DB
- Corrosion Resistance: Salt Spray Test Up To 1000 Hours
- Keyword: Blast Freezer
- Cooling Capacity: Depends On Size And Material
- Bracket Included: Yes

Keywords: Air Cooled Fnh Refrigeration Condenser for Cold Storage, Freezer Room Condensing Unit, Air Cooled Condenser



Support and Services:

The Product Technical Support and Services for the Air Cooler Condenser include:

- Installation guidance and support for proper setup of the condenser unit.
- Troubleshooting assistance for any operational issues or malfunctions.
 Maintenance recommendations to ensure optimal performance and longevity of the condenser.
- Product warranty information and assistance with warranty claims if needed.



FAQ:

- Q: What is the brand of the Air Cooler Condenser product?
- A: The brand of the Air Cooler Condenser is Damai.
- Q: What is the model number of the Air Cooler Condenser?
- A: The model number of the Air Cooler Condenser is DM-HNH.
- Q: Where is the Air Cooler Condenser product manufactured?
- A: The Air Cooler Condenser is manufactured in China.
- Q: What certifications does the Air Cooler Condenser have?
- A: The Air Cooler Condenser is certified with CE and ISO.
- Q: What are the packaging details for the Air Cooler Condenser?
- A: The Air Cooler Condenser is packaged in a Wooden Case.

