



Blast Freezer Air Cooler Condenser with Fin Thickness 0.2mm and 2 Coil Rows

Basic Information

Brand Name: DamaiCertification: CE;ISOModel Number: DM-FNH

 Minimum Order Quantity:

Price: \$200~\$100000
 Packaging Details: Wooden Case
 Delivery Time: 15 Work Days
 Payment Terms: T/T;L/C

• Supply Ability: 1000000pcs/year



Product Specification

• Corrosion Resistance: Salt Spray Test Up To 1000 Hours

Keyword: Blast FreezerTransport Package: Wooden Case

Cooling Capacity: Depends On Size And Material

300 Psi

Maximum Working

Pressure:

Type: Fin And TubeHs Code: 8404200000

• Coil Rows: 2

• Highlight: 2 Coil Rows Air Cooler Condenser,

0.2mm Air Cooler Condenser, Blast Freezer Air Cooler Condenser



DM-FNH Condenser

DM FNH is designed for high-efficiency heat exchange in compact refrigeration and air-conditioning systems. Featuring a unique H-shaped coil configuration, it maximizes the heat transfer surface area within limited spaces, ensuring optimal thermal performance. Manufactured with premium-quality copper tubes and aluminum fins, the H-type condenser offers excellent corrosion resistance, mechanical strength, and long service life. Its compact design, combined with efficient airflow management, makes it a preferred choice for a variety of cooling applications.















Product Description:

The H-type condenser is a high-efficiency heat exchange unit specifically designed for refrigeration and air conditioning systems. Its unique horizontal " H " configuration ensures optimized airflow, enhanced heat dissipation, and compact structure. Constructed with high-grade copper tubes and aluminum fins, the condenser offers excellent thermal conductivity and corrosion resistance, making it ideal for long-term operation in harsh environments.









Features:

Horizontal "H" Shape Design: The unit features a compact footprint and an efficient heat transfer design with its horizontal "H" shape. High-Performance Copper Tubes: The system is equipped with high-performance copper tubes and aluminum fin construction for enhanced durability and heat transfer capabilities.

Anti-Corrosion Coating: An optional anti-corrosion coating is available to extend the service life of the unit, ensuring long-lasting performance

Multiple Capacities: This system is offered in various capacities to meet different cooling requirements, providing flexibility and versatility in selection.

Easy Installation and Maintenance: The unit is designed for easy installation and maintenance, featuring accessible connections that

Customizable Fan Options: Users can choose from customizable fan options to improve airflow and reduce noise levels, tailoring the unit to their specific needs.



Technical Parameters:

Туре	Fin And Tube
Warranty	1 Year
Maximum Working Pressure	300 Psi
Bracket Included	Yes
Fin Thickness	0.2mm
Dryer Included	Yes
Quality	OEM Quality
Coil Rows	2
Fan Motor	Single Or Three Phase
Corrosion Resistance	Salt Spray Test Up To 1000 Hours



Applications:

Cold storage and walk-in freezers are critical components in various industries, providing a controlled environment for storing perishable goods at low temperatures. These systems are designed to ensure the quality and safety of products such as food, pharmaceuticals, and other temperature-sensitive items.

Commercial refrigeration systems are widely used in businesses such as restaurants, grocery stores, and convenience stores. These systems help preserve food items, extend their shelf life, and maintain their freshness. Commercial refrigeration units come in various sizes and configurations to meet the specific needs of different establishments.

Industrial chillers and process cooling equipment play a crucial role in maintaining temperature control in industrial processes. These systems are designed to cool or regulate the temperature of equipment, machinery, and products to ensure optimal operation and product quality.

HVAC systems in buildings and facilities are essential for providing comfortable indoor environments by regulating temperature, humidity, and air quality. HVAC systems encompass heating, ventilation, and air conditioning components to create a pleasant and healthy atmosphere for occupants, whether in residential, commercial, or industrial buildings.

Supermarkets and food processing plants rely on efficient refrigeration and cooling systems to store, display, and process perishable goods. These facilities utilize refrigeration technology to preserve the freshness of food products, prevent spoilage, and comply with food safety regulations to ensure the quality of the items sold to consumers.



Customization:

Air Cooled Condenser Customization Services:

Brand Name: Damai

Model Number: DM-HNH Place Of Origin: China Certification: CE;ISO Minimum Order Quantity: 1 Price: \$200~\$100000

Packaging Details: Wooden Case Delivery Time: 15 Work Days Payment Terms: T/T;L/C Supply Ability: 1000000pcs/year

Corrosion Resistance: Salt Spray Test Up To 1000 Hours

Warranty: 1 Year

Maximum Working Pressure: 300 Psi

Coil Rows: 2

Keyword: Blast Freezer

Product Attributes: Air Cooled Condenser, H-Type Air Cooled Condenser, Air Cooled Fnh Refrigeration Condenser for Cold Storage



Support and Services:

The Product Technical Support and Services for the Air Cooler Condenser product include: _ _

- Installation guidance and assistance
- Troubleshooting support for any operational issues
- Maintenance tips and recommendations
- Warranty information and claims processing
- Product upgrade options and compatibility checks
- Training sessions for proper usage and care of the condenser



FAQ:

- Q: What is the brand name of the Air Cooler Condenser?
- A: The brand name is Damai.
- Q: What is the model number of the Air Cooler Condenser?
- A: The model number is DM-HNH.
- Q: Where is the Air Cooler Condenser manufactured?
- A: The Air Cooler Condenser is manufactured in China.
- Q: What certifications does the Air Cooler Condenser have?
- A: The Air Cooler Condenser is certified with CE and ISO.
- Q: What is the minimum order quantity for the Air Cooler Condenser?
- A: The minimum order quantity is 1.





