



Long Service Life Cold Room Evaporator Not Easy To Scale 1pcs To 4 Fans Quantity

Our Product Introduction

for more products please visit us on coldroomunit.com

Basic Information

- Brand Name: DM
- Certification: CE ISO
- Model Number: DM-COOLER-DD/DJ/DL
- Minimum Order Quantity: 1
- Price: 1000-100000
- Packaging Details: Customization
- Delivery Time: 20day
- Payment Terms: TT,L/C
- Supply Ability: 300000/Year



Product Specification

- Feature: Not Easy To Scale
- Material Of Fin: Aluminum
- Customized: Acceptable
- Fan Quantity: 1pcs To 2,3,4 Pcs
- Origin: Made In China
- Power Source: Electric
- Temperature: Customization/12 -31
- Mounting: Wall / Window Mount
- Highlight: **4 Fans Cold Room Evaporator ,
Long Service Life Cold Room Evaporator ,
1pcs Cold Room Evaporator**



Experience the Power of Pure Refreshing Air with DaMai Air-Cooled Air Cooler

EVAPORATOR



DaMai Air-Cooled Air Cooler

a perfect blend of performance, elegance, and innovation. Designed to deliver a powerful cooling experience with energy efficiency in mind, this advanced air cooler harnesses the natural force of wind and water to provide a refreshing breeze that revitalizes your space. With its sleek design and whisper-quiet operation, the DaMai cooler is ideal for homes, offices, and industrial environments alike. Engineered with cutting-edge air-cooling technology, it ensures fast, even air distribution while maintaining eco-friendly performance and low operational costs. Let DaMai transform your environment into a haven of comfort and freshness — naturally cool, effortlessly powerful.

Product Description:

Engineered for high-efficiency cooling, the dual-fan air-cooled evaporator described here is designed to provide rapid and uniform temperature distribution, making it ideal for medium to large cold storage rooms. The evaporator boasts durable aluminum fins, copper tubing, and a corrosion-resistant coating to guarantee long-lasting performance and reliability. With its twin high-speed axial fans, this evaporator maximizes airflow to enhance heat exchange and reduce energy consumption. Its efficient design not only ensures a consistent cooling effect but also delivers cost savings in the long run. Additionally, the evaporator is easy to install and simple to maintain, making it a convenient option for a variety of freezing and refrigeration applications.



Features:

- High Efficiency: Dual high-performance axial fans ensure fast and even air distribution.
- Durable Build: Copper tubes with aluminum fins and anti-corrosion coating for extended lifespan.
- Energy Saving: Optimized heat exchange design reduces power consumption.
- Low Noise: Quiet operation suitable for food storage and processing environments.
- Easy Maintenance: Removable fan guards and accessible components simplify servicing.
- Wide Application: Suitable for -5°C to -25°C cold rooms, including food, pharma, and logistics.



Zhejiang Damai Cold Chian Equipment Co.,Ltd.

Zhejiang Damai Cold Chain Equipment Co., Ltd., is a leading manufacturer of refrigeration units, like condensers, air coolers, all kinds of units, and solution provider for cold storage rooms.

We, Damai Cold Chain, are located in Zhejiang Province China, already supplied our machines, designing and installation services to more than 80 countries and districts clients in the world.

At present, we can supply clients for Bitzer, Copeland, Danfoss, Carrier, Damai and other brands compressors and refrigeration units, we also can supply clients for OEM & ODM service.

We want to establish a bright future with potential partners together!



Technical Parameters:

Service Life	Long
Material Of Fin	Aluminum
Tube Diameter	9.52mm
Customized	Acceptable
Power Source	Electric
Origin	Made In China
Air Area	7m2 To 500m2
Transport Package	Transport Package
Air Flow	Horizontal/Vertical
Mounting	Wall / Window Mount



Applications:

This dual-fan air-cooled evaporator is commonly employed in walk-in freezers, cold storage warehouses, food processing rooms, and distribution centers. It is well-suited for the preservation of meat, seafood, dairy products, fruits, vegetables, pharmaceuticals, and other goods that require specific temperature control.

It is designed to be utilized in a variety of settings such as supermarkets, food processing plants, logistics hubs, and agricultural cold chains. The versatility and efficiency of this evaporator make it an essential component for maintaining the quality and freshness of perishable goods.



Customization:

Product Customization Services for Cold Room Evaporators:

Brand Name: DM

Model Number: DM-COOLER-DD/DJ/DL

Place Of Origin: China

Certification: CE ISO

Minimum Order Quantity: 1

Price: \$1000-\$100000

Packaging Details: Customization

Delivery Time: 20 days

Payment Terms: TT, L/C
Supply Ability: 300000/Year
Fan Quantity: 1pcs to 2,3,4 pcs
Air Area: 7m2 to 500m2
Power Source: Electric
Service Life: Long
Transport Package: Transport Package



Support and Services:

Our Product Technical Support and Services for the Cold Room Evaporator include:

- Installation guidance and support to ensure optimal performance
- Troubleshooting assistance for any operational issues
- Regular maintenance recommendations to prolong the lifespan of the evaporator
- Product training sessions for users to maximize efficiency and minimize downtime



FAQ:

Q: What is the brand name of the Cold Room Evaporator product?

A: The brand name is DM.

Q: What are the available model numbers for the Cold Room Evaporator?

A: The model numbers are DM-COOLER-DD, DM-COOLER-DJ, and DM-COOLER-DL.

Q: Where is the Cold Room Evaporator product manufactured?

A: The product is made in China.

Q: What certifications does the Cold Room Evaporator product have?

A: The product is certified with CE and ISO.

Q: What is the minimum order quantity for the Cold Room Evaporator?

A: The minimum order quantity is 1.

 **Zhejiang Damai Cold Chain Equipment Co., Ltd.**

 86-13246760185

 sales3@dmlcn.com

 coldroomunit.com

Factory No. 1, Wanfeng Aviation Town, Wozhou Town, Xinchang County, Zhejiang Province